



BE SURE. BUILD SURE.

Page 1/11

## Safety data sheet according to UK REACH

Printing date 13.12.2025

Version number 31 (replaces version 30)

Revision: 13.12.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name** MC-Color Proof pure

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· **Application of the substance / the mixture**

Surface protection

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

MC-Bauchemie Müller GmbH & Co. KG  
Am Kruppwald 1-8  
D-46238 Bottrop  
Tel.: +49(0)2041-101-0  
Fax.: +49(0)2041-101-400  
E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG  
Siloring 8  
CH-5606 Dintikon  
Tel. +41 56 616 68 68  
Fax +41 56 616 68 69

· **Informing department:**

msds@mc-bauchemie.de

· **1.4 Emergency telephone number:**

Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +1 872 5888271 (MCR)

### SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· **2.2 Label elements**

· **Labelling according to**

**Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.

· **Hazard pictograms**



GHS07

· **Signal word**

Warning

· **Hazard-determining components of labelling:**

2-Octyl-2H-isothiazol-3-on  
Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

(Contd. on page 2)

GB



BE SURE. BUILD SURE.

### Safety data sheet according to UK REACH

Printing date 13.12.2025

Version number 31 (replaces version 30)

Revision: 13.12.2025

Trade name MC-Color Proof pure

(Contd. of page 1)

- **Hazard statements** 1,2-benzisothiazol-3(2H)-one formaldehyde  
H317 May cause an allergic skin reaction.
- **Precautionary statements** H412 Harmful to aquatic life with long lasting effects.  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P273 Avoid release to the environment.  
P280 Wear protective gloves.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- **Additional information:** P321 Specific treatment (see on this label).  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.  
Contains biocidal products: 1,2-benzisothiazol-3(2H)-one, 2-Octyl-2H-isothiazol-3-on, Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable
- **vPvB:** Not applicable

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture consisting of the following components.

· **Dangerous components:**

|                                     |  |               |
|-------------------------------------|--|---------------|
| CAS: 56539-66-3                     | 3-Methoxy-3-methyl-1-butanol<br>Eye Irrit. 2, H319   | <2.5%         |
| CAS: 2634-33-5<br>EINECS: 220-120-9 | 1,2-benzisothiazol-3(2H)-one<br>Acute Tox. 2, H330; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317<br>ATE: LD50 oral: 450 mg/kg<br>LC50/4 h inhalative: 0.21 mg/l<br>Specific concentration limit:<br>Skin Sens. 1; H317: C ≥0.05 % | ≥0.025-<0.05% |

(Contd. on page 3)



BE SURE. BUILD SURE.

**Safety data sheet**  
**according to UK REACH**

Printing date 13.12.2025

Version number 31 (replaces version 30)

Revision: 13.12.2025

**Trade name MC-Color Proof pure**

|  |   |  |
|--|---|--|
| <p>CAS: 50-00-0<br/>EINECS: 200-001-8</p>    | <p>formaldehyde<br/>Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Muta. 2, H341; Carc. 1B, H350; Skin Corr. 1B, H314; Skin Sens. 1, H317<br/>Specific concentration limits:<br/>Skin Corr. 1B; H314: C ≥ 25 %<br/>Skin Irrit. 2; H315: 5 % ≤ C &lt; 25 %<br/>Eye Irrit. 2; H319: 5 % ≤ C &lt; 25 %<br/>Skin Sens. 1; H317: C ≥ 0.2 %<br/>STOT SE 3; H335: C ≥ 5 %</p>   | <p>(Contd. of page 2)<br/>&lt;0.1%</p> |
| <p>CAS: 26530-20-1<br/>EINECS: 247-761-7</p> | <p>2-Octyl-2H-isothiazol-3-on<br/>Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071<br/>ATE: LD50 oral: 125 mg/kg<br/>LD50 dermal: 311 mg/kg<br/>LC50/4 h inhalative: 0.27 mg/l<br/>Specific concentration limit:<br/>Skin Sens. 1A; H317: C ≥ 0.0015 %</p>   | <p>≥0.0025-&lt;0.025%</p>              |
| <p>CAS: 55965-84-9</p>                       | <p>Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)<br/>Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071<br/>Specific concentration limits:<br/>Skin Corr. 1C; H314: C ≥ 0.6 %<br/>Skin Irrit. 2; H315: 0.06 % ≤ C &lt; 0.6 %<br/>Eye Dam. 1; H318: C ≥ 0.6 %<br/>Eye Irrit. 2; H319: 0.06 % ≤ C &lt; 0.6 %<br/>Skin Sens. 1A; H317: C ≥ 0.0015 %</p> | <p>≥0.00025-&lt;0.0015%</p>            |

· **Additional information** For the wording of the listed hazard phrases refer to section 16.  
Acrylic dispersion  
Chalk  
Water

**SECTION 4: First aid measures**

· **4.1 Description of first aid measures**

- **General information** For all first aid measures: observe self-protection and consult a doctor!
- **After inhalation** Take the person out into the fresh air.
- **After skin contact** Remove heavily soiled clothing.  
Clean with plenty of water.  
Do not use thinner or similar.
- **After eye contact** Rinse for 10 minutes under running water with the eyelids open or use eye rinsing solution. Always consult an ophthalmologist!

(Contd. on page 4)



BE SURE. BUILD SURE.

Page 4/11

## Safety data sheet according to UK REACH

Printing date 13.12.2025

Version number 31 (replaces version 30)

Revision: 13.12.2025

Trade name MC-Color Proof pure

(Contd. of page 3)

· **After swallowing**

Do not induce vomiting.  
Drink plenty of water in small sips.

### SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents** Use fire fighting measures that suit the environment.

· **5.2 Special hazards arising from the substance or mixture**

No further relevant information available.

· **5.3 Advice for firefighters**

· **Protective equipment:**

No special measures required.

### SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Not required

· **6.2 Environmental precautions:**

Dilute with much water.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· **6.4 Reference to other sections**

No dangerous materials are released.

### SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

No special measures required.  
No special precautions necessary if used correctly.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage**

· **Requirements to be met by storerooms and containers:**

Protect containers from frost!  
Only store in the original container or in containers recommended by the manufacturer.  
After decanting, label containers as original containers.  
Do not store in break rooms, recreation rooms or sanitary facilities as well as in stairwells, corridors, escape and rescue routes, passages, passageways and confined spaces.

· **Further information about storage conditions:**

None.

(Contd. on page 5)

GB



BE SURE. BUILD SURE.

### Safety data sheet according to UK REACH

Printing date 13.12.2025

Version number 31 (replaces version 30)

Revision: 13.12.2025

Trade name MC-Color Proof pure

· Storage class

10

(Contd. of page 4)

#### SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

CAS: 50-00-0 formaldehyde

|     |   |
|-----|---|
| WEL | Short-term value: 2.5 mg/m <sup>3</sup> , 2 ppm |
|     | Long-term value: 2.5 mg/m <sup>3</sup> , 2 ppm  |
|     | Carc  |

· Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

· Appropriate engineering controls

No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and hygienic measures

Do not store any foodstuffs or eat, drink, snuff or smoke in the work area!

Avoid contact with eyes and skin!

Preventively apply skin protection ointment to facilitate skin cleansing.

Remove product residues from the skin!

Clean hands thoroughly at the end of work and before cleaning!

Remove product residues from the skin with a suitable cleaning agent - never use solvents or thinners to clean the skin!

Use skin care products after work (moisturising cream).

· Breathing equipment:

For spraying processes:

Particle filter P2 (white)

· Hand protection

Gloves made of: Natural latex, polychloroprene, nitrile rubber.

(Category 3 chemical protective gloves, recognisable by the CE mark with four-digit test number).

When wearing protective gloves, cotton undergloves are recommended.

· Material of gloves

Natural latex, polychloroprene, nitrile rubber.

· Penetration time of glove material

The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.

· Eye/face protection

Frame glasses

· Body protection:

Protective work clothing.

· Skin protection

Use greasy skin protection ointment for all uncovered parts of the body!

GB

(Contd. on page 6)



BE SURE. BUILD SURE.

## Safety data sheet according to UK REACH

Printing date 13.12.2025

Version number 31 (replaces version 30)

Revision: 13.12.2025

Trade name MC-Color Proof pure

(Contd. of page 5)

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · General Information

|  |                               |
|--|-------------------------------|
| · Colour:  | Colourless                    |
| · Smell:   | Recognisable                  |
| · Melting point/freezing point:                            | Not determined                |
| · Boiling point or initial boiling point and boiling range | 100 °C (CAS: 7732-18-5 Water) |
| · Flash point:   | 200 °C                        |
| · pH at 20 °C  | 7.5                           |
| · Viscosity:   |                               |
| · Kinematic viscosity                                      | Not determined                |
| · dynamic at 20 °C:  | 2500 mPas                     |
| · Solubility   |                               |
| · Water:   | Fully miscible                |
| · Steam pressure at 20 °C:                                 | 23 hPa (CAS: 7732-18-5 Water) |
| · Density and/or relative density                          |                               |
| · Density at 20 °C   | 1.04 g/cm <sup>3</sup>        |
| · Relative density   | Not determined                |

#### · 9.2 Other information

|   |                              |
|---|------------------------------|
| · Appearance:   |                              |
| · Form:   | Fluid                        |
| · Important information on protection of health and environment, and on safety. |                              |
| · Self-inflammability:  | Product is not selfigniting. |
| · Explosive properties:   | Product is not explosive.    |

#### · Information with regard to physical hazard classes

|   |      |
|---|------|
| · Explosives  | Void |
| · Flammable gases   | Void |
| · Aerosols  | Void |
| · Oxidising gases   | Void |
| · Gases under pressure  | Void |
| · Flammable liquids   | Void |
| · Flammable solids  | Void |
| · Self-reactive substances and mixtures                                     | Void |
| · Pyrophoric liquids  | Void |
| · Pyrophoric solids   | Void |
| · Self-heating substances and mixtures                                      | Void |
| · Substances and mixtures, which emit flammable gases in contact with water | Void |
| · Oxidising liquids   | Void |
| · Oxidising solids  | Void |
| · Organic peroxides   | Void |
| · Corrosive to metals   | Void |

(Contd. on page 7)



BE SURE. BUILD SURE.

**Safety data sheet  
according to UK REACH**

Printing date 13.12.2025

Version number 31 (replaces version 30)

Revision: 13.12.2025

Trade name MC-Color Proof pure

(Contd. of page 6)

· **Desensitised explosives**

Void

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

**SECTION 11: Toxicological information**

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**

**CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one**

|            |          |                                     |
|------------|----------|-------------------------------------|
| Oral       | LD50     | 450 mg/kg (ATE)<br>1020 mg/kg (rat) |
| Dermal     | LD50     | >2000 mg/kg (rat)                   |
| Inhalative | LC50/4 h | 0.21 mg/l (ATE)                     |

**CAS: 50-00-0 formaldehyde**

|        |      |                  |
|--------|------|------------------|
| Oral   | LD50 | >200 mg/kg (rat) |
| Dermal | LD50 | 300 mg/kg (rat)  |

**CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-on**

|            |          |                                      |
|------------|----------|--------------------------------------|
| Oral       | LD50     | 125 mg/kg (ATE)<br>500 mg/kg (rat)   |
| Dermal     | LD50     | 311 mg/kg (ATE)<br>>2000 mg/kg (rat) |
| Inhalative | LC50/4 h | 0.27 mg/l (ATE)<br>0.6 mg/l (rat)    |

**CAS: 55965-84-9 Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)**

|            |          |                      |
|------------|----------|----------------------|
| Oral       | LD50     | 49.6-75 mg/kg (rat)  |
| Dermal     | LD50     | 87.12 mg/kg (rabbit) |
| Inhalative | LC50/4 h | 0.171 mg/l (rat)     |

(Contd. on page 8)



BE SURE. BUILD SURE.

### Safety data sheet according to UK REACH

Printing date 13.12.2025

Version number 31 (replaces version 30)

Revision: 13.12.2025

Trade name MC-Color Proof pure

(Contd. of page 7)

- **Primary irritant effect:**
- **Skin corrosion/irritation** *Based on available data, the classification criteria are not met.*
- **Respiratory or skin sensitisation** *May cause an allergic skin reaction.*
- **Germ cell mutagenicity** *Based on available data, the classification criteria are not met.*
- **Carcinogenicity** *Based on available data, the classification criteria are not met.*
- **Reproductive toxicity** *Based on available data, the classification criteria are not met.*
- **STOT-single exposure** *Based on available data, the classification criteria are not met.*
- **STOT-repeated exposure** *Based on available data, the classification criteria are not met.*
- **Aspiration hazard** *Based on available data, the classification criteria are not met.*
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

*None of the ingredients is listed.*

## SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

**CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one**

EC50/72h 0.067 mg/l (*Pseudokirchneriella subcapitata*)

0.11 mg/l (*Selenastrum capricornutum*)

LC50/96h 1.6 mg/l (*Oncorhynchus mykiss*)

EC50/48h 1.1 mg/l (*Daphnia magna*)

**CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-on**

EC50/48h 0.42 mg/l (*Daphnien*)

**CAS: 55965-84-9 Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)**

LC50/24h 0.19 mg/l (fish)

EC50/72h 0.027 mg/l (*Pseudokirchneriella subcapitata*)

LC50/96h 0.19 mg/l (*Oncorhynchus mykiss*)

LC50/48h 0.28 mg/l (fish)

EC50/48h 0.16 mg/l (*Daphnia magna*)

NOEC 0.02 mg/l (*Oncorhynchus mykiss*)

0.00049 mg/l (Ske)

0.1 mg/l (*Daphnia magna*)

· **12.2 Persistence and degradability**

*No further relevant information available.*

· **12.3 Bioaccumulative potential**

*No further relevant information available.*

· **12.4 Mobility in soil**

*No further relevant information available.*

· **12.5 Results of PBT and vPvB assessment**

· **PBT:**

*Not applicable*

· **vPvB:**

*Not applicable*

(Contd. on page 9)



BE SURE. BUILD SURE.

### Safety data sheet according to UK REACH

Printing date 13.12.2025

Version number 31 (replaces version 30)

Revision: 13.12.2025

Trade name MC-Color Proof pure

(Contd. of page 8)

· **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **12.7 Other adverse effects**

· **Additional ecological information:**

· **General notes:**

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

### SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:**

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

· **Recommended cleaning agent:**

Water, if necessary with cleaning agent.

### SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR, ADN, IMDG, IATA**

Void

· **14.2 UN proper shipping name**

· **ADR, ADN, IMDG, IATA**

Void

· **14.3 Transport hazard class(es)**

· **ADR, ADN, IMDG, IATA**

· **Class**

Void

· **14.4 Packing group**

· **ADR, IMDG, IATA**

Void

· **14.5 Environmental hazards:**

· **Marine pollutant:**

No

· **14.6 Special precautions for user**

Not applicable

· **14.7 Maritime transport in bulk according to IMO instruments**

Not applicable

· **Transport/Additional information:**

Not dangerous according to the above specifications.

· **UN "Model Regulation":**

Void

GB

(Contd. on page 10)



BE SURE. BUILD SURE.

### Safety data sheet according to UK REACH

Printing date 13.12.2025

Version number 31 (replaces version 30)

Revision: 13.12.2025

Trade name MC-Color Proof pure

(Contd. of page 9)

#### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**

No further relevant information available.

- **Regulated explosives precursors**

None of the ingredients is listed.

- **Regulated poisons**

None of the ingredients is listed.

- **Reportable explosives precursors**

None of the ingredients is listed.

- **Reportable poisons**

CAS: 50-00-0 formaldehyde

5%

- **15.2 Chemical safety assessment:**

A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H301 Toxic if swallowed.  
 H302 Harmful if swallowed.  
 H310 Fatal in contact with skin.  
 H311 Toxic in contact with skin.  
 H314 Causes severe skin burns and eye damage.  
 H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H318 Causes serious eye damage.  
 H319 Causes serious eye irritation.  
 H330 Fatal if inhaled.  
 H331 Toxic if inhaled.  
 H335 May cause respiratory irritation.  
 H341 Suspected of causing genetic defects.  
 H350 May cause cancer.  
 H400 Very toxic to aquatic life.  
 H410 Very toxic to aquatic life with long lasting effects.  
 EUH071 Corrosive to the respiratory tract.

- **Department issuing data specification sheet:**

Environment protection department.

- **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 11)



BE SURE. BUILD SURE.

Page 11/11

## Safety data sheet according to UK REACH

Printing date 13.12.2025

Version number 31 (replaces version 30)

Revision: 13.12.2025

**Trade name MC-Color Proof pure**

(Contd. of page 10)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1: Skin corrosion/irritation – Category 1

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Muta. 2: Germ cell mutagenicity – Category 2

Carc. 1B: Carcinogenicity – Category 1B

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

**\* Data compared to the  
previous version altered.**

GB